

Message

---

**From:** Reilley, Betsy [Betsy.Reilley@mwra.state.ma.us]  
**Sent:** 10/21/2008 7:05:51 PM  
**To:** McNamara, Ann (DPH) [Ann.Mcnamara@state.ma.us]  
**CC:** Han, Linda (DPH) [Linda.Han@state.ma.us]  
**Subject:** RE: Invoice 6 -120197

Hi Ann. Sorry this is taking so long! I have completed the paperwork in to close this out....I have forwarded this e-mail along to our budget folks to see if we can wrap this up already.

Betsy

---

**From:** McNamara, Ann (DPH) [mailto:Ann.Mcnamara@state.ma.us]  
**Sent:** Tuesday, October 21, 2008 1:55 PM  
**To:** McNamara, Ann (DPH); Reilley, Betsy; Han, Linda (DPH)  
**Subject:** RE: Invoice 6 -120197

Hi Betsy,

Just a follow up to say we have not received any contract close documents. When you have time could you please look into this?

Thanks so much,  
Ann McNamara  
State Lab  
617-983-6235

---

**From:** McNamara, Ann (DPH)  
**Sent:** Thursday, September 11, 2008 2:25 PM  
**To:** McNamara, Ann (DPH); 'Reilley, Betsy'; Han, Linda (DPH)  
**Subject:** RE: Invoice 6 -120197

Hi Betsy,

Our DPH contract with MWRA has expired. I believe you send me (or have someone send me) a final document for signature that allows payment of "hold back funds". My records show our hold back funds for the contract term are \$402.80. Would you send the necessary final document so that we may close our books.

Thanks so much,  
Please let me know if you have any questions.

Regards,

Ann McNamara  
Department of Public Health  
State Laboratory Institute  
617-983-6235

---

**From:** Reilley, Betsy [mailto:Betsy.Reilley@mwra.state.ma.us]  
**Sent:** Thursday, June 26, 2008 1:32 PM  
**To:** McNamara, Ann (DPH)  
**Subject:** RE: Invoice 6 -120197

Hi Ann,

I do not believe any additional samples will be coming up, nor do we anticipate continuing this project. While this work was of significant interest for a number of years, difficulty in putting the results into context from a water treatment perspective has made this information not as useful recently.

However, I am wondering if it might be possible to submit a few samples to you as the need might arise in the future? Is this something you can accomodate? We would need to work out billing/payment logistics, but I see it more likely that we may periodically have specific samples we would like to have analyzed, rather than an on-going contract.

Let me know, and thanks for all the hard work your lab has completed for this project!

Betsy

\*\*\*\*\*  
Betsy Reilley, Ph.D  
Senior Program Manager, Water Quality Assurance and Data Management  
MA Water Resources Authority  
268 Boston Road, Southboro, MA 01772  
Telephone: 508-820-1527  
Direct Dial: 508-424-3613  
Cell: [REDACTED]  
Fax: 508-872-4527  
E-mail: Betsy.Reilley@mwra.state.ma.us  
Website: [www.mwra.com](http://www.mwra.com)

---

**From:** McNamara, Ann (DPH) [mailto:Ann.Mcnamara@state.ma.us]  
**Sent:** Wednesday, June 25, 2008 4:58 PM  
**To:** McNamara, Ann (DPH); Reilley, Betsy  
**Subject:** RE: Invoice 6 -120197

Hi Betsy,

Our contract is up on 7/8/08. Could you please let us know if we should anticipate any samples prior to that date? Also, are you re-bidding? Interested in extending the contract?

Ann McNamara  
Department of Public Health  
State Laboratory  
617-983-6235